

Updated - 10/076,906

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or compose a new query in the Search Query Display.

Thu, 27 Oct 2005, 4:14:01 PM EST

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((storage area network or san<in>metadata) <and> (failover set or fail-over set or fail over set) <in>metadata) <and> (policy or policies or rule<in>metadata)
- #2 ((failover set or fail-over set <in>metadata) <and> (policy or policies or rule<in>metadata))
- #3 ((failover set fail-over set<in>metadata) <and> (storage area network<in>metadata))

Indexed by
 Inspec®

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IEEE

Updated - 10/076,906



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

((failover set) or (fail-over set) or fail over set) and (storage a



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

failover set or **fail over set** or **fail over set** and **storage area network** or **SAN** and **policy** or **policies** or **rule**

F
93

166

Sort results by

☒ [Save results to a Binder](#)

[Try an Advanced Search](#)

Display results

☒ [Search Tips](#)

[Try this search in The ACM Guide](#)

☐ [Open results in a new window](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐

1 [The HP AutoRAID hierarchical storage system](#)

J. Wilkes, R. Golding, C. Staelin, T. Sullivan

December 1995 **ACM SIGOPS Operating Systems Review , Proceedings of the fifteenth ACM symposium on Operating systems principles SOSP '95**, Volume 29 Issue 5

Publisher: ACM Press

Full text available: [pdf\(1.60 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

2 [Trust management for IPsec](#)

May 2002 **ACM Transactions on Information and System Security (TISSEC)**, Volume 5 Issue 2

Publisher: ACM Press

Full text available: [pdf\(321.98 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

IPsec is the standard suite of protocols for network-layer confidentiality and authentication of Internet traffic. The IPsec protocols, however, do not address the policies for how protected traffic should be handled at security end points. This article introduces an efficient policy management scheme for IPsec, based on the principles of trust management. A compliance check is added to the IPsec architecture that tests packet filters proposed when new security associations are created for confo ...

Keywords: Credentials, IPsec, KeyNote, network security, policy, trust management

3 [The HP AutoRAID hierarchical storage system](#)

John Wilkes, Richard Golding, Carl Staelin, Tim Sullivan

February 1996 **ACM Transactions on Computer Systems (TOCS)**, Volume 14 Issue 1

Publisher: ACM Press

Full text available: [pdf\(1.82 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Configuring redundant disk arrays is a black art. To configure an array properly, a system administrator must understand the details of both the array and the workload it will support. Incorrect understanding of either, or changes in the workload over time, can lead to poor performance. We present a solution to this problem: a two-level storage hierarchy implemented inside a single disk-array controller. In the upper level of this hierarchy, two copies of active data are stored to provide f ...